IN THE CLAIMS:

1	5.	(Currently Amended) A semi-frozen liquid beverage dispensing machine having a
2	bowl to conta	in semi-frozen beverage therein, which apparatus comprises:
3		at least one refrigerated storage cavity for receiving a bulk storage container of liquid
4	beverage;	
5		a fluid passageway tube extending between said bowl and said bulk storage container
6	wherein said	fluid passageway tube is within a refrigerated zone;
7		said bowl containing a helical auger blade which surrounds a cylindrical evaporator
8	to scrape said	semi-frozen beverage;
9		a pump to transport said liquid from said bulk storage container through said tube and
10	into said bow	l outside of said cylinder; and
11		a sensor to sense liquid level of said semi-frozen beverage in said bowl of said
12	machine, said	sensor connected to said pump.
1	6.	(Original) A self-contained liquid storage and delivery apparatus as set forth in Claim
2	5 wherein said	bulk storage container is a flexible membrane bag within a rigid box and includes a
3	connection nip	pple.
1	7.	(Canceled)

8.	(Original) A semi-frozen liquid beverage dispensing machine as set forth in Claim
5 wherein sa	id bulk storage container includes a radio frequency ID tag which communicates with
a transmitter	receiver in said machine.

- 9. (Currently Amended) A method to store, deliver and automatically fill liquid beverage for supplying a separate, discrete semi-frozen liquid beverage machine having a bowl to contain beverage products, which method comprises:
- storing at least one bulk storage container of said beverage products in a refrigerated storage cavity separate and discrete from said liquid beverage machine;
- transporting said beverage products from said storage container in said refrigerated storage cavity through a thermally conductive passageway into a bowl of said beverage machine by pumping with a pump wherein said bowl contains a helical auger blade which surrounds a cylindrical evaporator to scrape said semi-frozen beverage;
- sensing liquid level with a liquid level sensor in said bowl in order to activate or deactivate said pumping; and
 - activating said pumping to maintain said liquid level at a constant level.
- 10. (Original) A method as set forth in Claim 9 including the additional step of removing said bulk storage container of said liquid beverage from said cavity and replacing with another storage container.

	11.	(Currently Amended)	A method to	store,	deliver	and	automatically	fill	liquid	
beverage for a semi-frozen liquid beverage machine having a bowl to contain beverage products,										
which	n method	d comprises:								

storing at least one bulk storage container of said beverage products in a refrigerated storage cavity within said liquid beverage machine;

transporting said beverage products from said storage container in said refrigerated storage cavity through a thermally conductive passageway into said bowl of said beverage machine, wherein said bowl contains a helical auger blade which surrounds a cylindrical evaporator to scrape said semi-frozen beverage; and

delivering water from a water supply to deliver water to a bowl.

- 12. (Currently Amended) A method to store, deliver and automatically fill liquid beverage for a semi-frozen liquid beverage machine having a bowl to contain beverage products, which method comprises:
- storing at least one bulk storage container of said beverage products in a refrigerated storage within said liquid beverage machine;

transporting said beverage products from said storage container in said refrigerated storage cavity through a thermally conductive passageway into said bowl of said beverage machine, wherein said bowl contains a helical auger blade which surrounds a cylindrical evaporator to scrape said semi-frozen beverage; and

wherein the step of transporting said liquid beverage includes delivering said liquid beverage to said bowl below the liquid level in said bowl.

Claims 13 through 16 (Canceled)

1

- 1 17. (Previously Added) A semi-frozen liquid beverage dispensing machine as set forth
- 2 in Claim 5 wherein said bowl is clear or transparent.
- 1 18. (New) A method as set forth in Claim 9 wherein said bowl is clear or transparent.